§ 211.3

under current good manufacturing practice.

[43 FR 45077, Sept. 29, 1978, as amended at 62 FR 66522, Dec. 19, 1997]

§211.3 Definitions.

The definitions set forth in §210.3 of this chapter apply in this part.

Subpart B—Organization and Personnel

§211.22 Responsibilities of quality control unit.

- (a) There shall be a quality control unit that shall have the responsibility and authority to approve or reject all components, drug product containers, closures, in-process materials, packaging material, labeling, and drug products, and the authority to review production records to assure that no errors have occurred or, if errors have occurred, that they have been fully investigated. The quality control unit shall be responsible for approving or rejecting drug products manufactured, processed, packed, or held under contract by another company.
- (b) Adequate laboratory facilities for the testing and approval (or rejection) of components, drug product containers, closures, packaging materials, in-process materials, and drug products shall be available to the quality control unit.
- (c) The quality control unit shall have the responsibility for approving or rejecting all procedures or specifications impacting on the identity, strength, quality, and purity of the drug product.
- (d) The responsibilities and procedures applicable to the quality control unit shall be in writing; such written procedures shall be followed.

§211.25 Personnel qualifications.

(a) Each person engaged in the manufacture, processing, packing, or holding of a drug product shall have education, training, and experience, or any combination thereof, to enable that person to perform the assigned functions. Training shall be in the particular operations that the employee performs and in current good manufacturing practice (including the current good

- manufacturing practice regulations in this chapter and written procedures required by these regulations) as they relate to the employee's functions. Training in current good manufacturing practice shall be conducted by qualified individuals on a continuing basis and with sufficient frequency to assure that employees remain familiar with CGMP requirements applicable to them.
- (b) Each person responsible for supervising the manufacture, processing, packing, or holding of a drug product shall have the education, training, and experience, or any combination thereof, to perform assigned functions in such a manner as to provide assurance that the drug product has the safety, identity, strength, quality, and purity that it purports or is represented to possess.
- (c) There shall be an adequate number of qualified personnel to perform and supervise the manufacture, processing, packing, or holding of each drug product.

§211.28 Personnel responsibilities.

- (a) Personnel engaged in the manufacture, processing, packing, or holding of a drug product shall wear clean clothing appropriate for the duties they perform. Protective apparel, such as head, face, hand, and arm coverings, shall be worn as necessary to protect drug products from contamination.
- (b) Personnel shall practice good sanitation and health habits.
- (c) Only personnel authorized by supervisory personnel shall enter those areas of the buildings and facilities designated as limited-access areas.
- (d) Any person shown at any time (either by medical examination or supervisory observation) to have an apparent illness or open lesions that may adversely affect the safety or quality of drug products shall be excluded from direct contact with components, drug product containers, closures, in-process materials, and drug products until the condition is corrected or determined by competent medical personnel not to jeopardize the safety or quality of drug products. All personnel shall be instructed to report to supervisory personnel any health conditions that may

have an adverse effect on drug prod-

§211.34 Consultants.

Consultants advising on the manufacture, processing, packing, or holding of drug products shall have sufficient education, training, and experience, or any combination thereof, to advise on the subject for which they are retained. Records shall be maintained stating the name, address, and qualifications of any consultants and the type of service they provide.

Subpart C—Buildings and Facilities

§211.42 Design and construction features.

- (a) Any building or buildings used in the manufacture, processing, packing, or holding of a drug product shall be of suitable size, construction and location to facilitate cleaning, maintenance, and proper operations.
- (b) Any such building shall have adequate space for the orderly placement of equipment and materials to prevent mixups between different components, drug product containers, closures, labeling, in-process materials, or drug products, and to prevent contamination. The flow of components, drug product containers, closures, labeling, in-process materials, and drug products through the building or buildings shall be designed to prevent contamination.
- (c) Operations shall be performed within specifically defined areas of adequate size. There shall be separate or defined areas or such other control systems for the firm's operations as are necessary to prevent contamination or mixups during the course of the following procedures:
- (1) Receipt, identification, storage, and withholding from use of components, drug product containers, closures, and labeling, pending the appropriate sampling, testing, or examination by the quality control unit before release for manufacturing or packaging;
- (2) Holding rejected components, drug product containers, closures, and labeling before disposition;
- (3) Storage of released components, drug product containers, closures, and labeling;

- (4) Storage of in-process materials;
- (5) Manufacturing and processing operations:
- (6) Packaging and labeling operations;
- (7) Quarantine storage before release of drug products;
- (8) Storage of drug products after release;
- (9) Control and laboratory operations;
- (10) Aseptic processing, which includes as appropriate:
- (i) Floors, walls, and ceilings of smooth, hard surfaces that are easily cleanable;
- (ii) Temperature and humidity controls;
- (iii) An air supply filtered through high-efficiency particulate air filters under positive pressure, regardless of whether flow is laminar or nonlaminar;
- (iv) A system for monitoring environmental conditions;
- (v) A system for cleaning and disinfecting the room and equipment to produce aseptic conditions;
- (vi) A system for maintaining any equipment used to control the aseptic conditions.
- (d) Operations relating to the manufacture, processing, and packing of penicillin shall be performed in facilities separate from those used for other drug products for human use.

[43 FR 45077, Sept. 29, 1978, as amended at 60 FR 4091, Jan. 20, 1995]

§211.44 Lighting.

Adequate lighting shall be provided in all areas.

§211.46 Ventilation, air filtration, air heating and cooling.

- (a) Adequate ventilation shall be provided.
- (b) Equipment for adequate control over air pressure, micro-organisms, dust, humidity, and temperature shall be provided when appropriate for the manufacture, processing, packing, or holding of a drug product.
- (c) Air filtration systems, including prefilters and particulate matter air filters, shall be used when appropriate on air supplies to production areas. If air is recirculated to production areas, measures shall be taken to control recirculation of dust from production. In